

SAFETY DATA SHEET

Deb Instant Foam

1. Identification

Product identifier

Product name Deb Instant Foam

Product number IFS400CAP, IFS47ML-CAN, IFS400ML-CAN, IFS1L-CAN, IFS1TF-CAN, IFS1LPAX

Details of the supplier of the safety data sheet

Supplier SC Johnson Professional CA Inc.
 1 Webster Street
 Brantford, ON
 N3T 5R1
 1-888-332-7627 (08:00 - 17:00 Mon-Fri)
 www.scjp.com

Emergency telephone number

Emergency telephone 613-996-6666 (Transportation only)

2. Hazard identification

Classification of the substance or mixture

Physical hazards Flam. Liq. 3 - H226

Health hazards Not Classified

Environmental hazards Not Classified

Environmental The product contains a substance which has a photochemical ozone creation potential.

Physicochemical The product is highly flammable. Vapours may form explosive mixtures with air.

Label elements

Hazard pictograms



Signal word Warning

Hazard statements H226 Flammable liquid and vapour.

Deb Instant Foam

Precautionary statements	<p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P233 Keep container tightly closed.</p> <p>P240 Ground and bond container and receiving equipment.</p> <p>P241 Use explosion-proof electrical equipment.</p> <p>P242 Use non-sparking tools.</p> <p>P243 Take action to prevent static discharges.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].</p> <p>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</p> <p>P403+P235 Store in a well-ventilated place. Keep cool.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
---------------------------------	--

Contains PROPANE-1-OL

Other hazards

Liquide et vapeur inflammables.

3. Composition/information on ingredients

Mixtures

ETHANOL	60-100%
CAS number: 64-17-5	
Classification	
Flam. Liq. 2 - H225	
Eye Irrit. 2A - H319	
PROPAN-1-OL	10-30%
CAS number: 71-23-8	
Classification	
Flam. Liq. 2 - H225	
Eye Dam. 1 - H318	
STOT SE 3 - H336	

The full text for all hazard statements is displayed in Section 16.

Composition comments	<p>Alcohol Denat.</p> <p>Aqua</p> <p>Propyl Alcohol</p> <p>Bis-PEG 12 Dimethicone</p> <p>Coco-Glucoside</p> <p>Glyceryl Oleate</p> <p>PEG-200 Hydrogenated Glyceryl Palmate</p> <p>PEG-7 Glyceryl Cocoate</p> <p>Behentrimonium Chloride</p> <p>Dihydroxypropyl PEG-5 Linoleammonium Chloride</p>
-----------------------------	---

4. First-aid measures

Description of first aid measures

General information Get medical attention if any discomfort continues.

Deb Instant Foam

Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	DO NOT induce vomiting. Get medical attention immediately.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

Most important symptoms and effects, both acute and delayed

Inhalation	No specific symptoms known.
Ingestion	May cause nausea, headache, dizziness and intoxication.
Skin contact	None known.
Eye contact	May cause severe eye irritation.

Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations.
-----------------------------	------------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.

Specific hazards arising from the hazardous product

Specific hazards FLAMMABLE. Forms explosive mixtures with air.

Advice for firefighters

Protective actions during firefighting Fight fire from safe distance or protected location. Containers close to fire should be removed or cooled with water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Take precautionary measures against static discharges. No smoking, sparks, flames or other sources of ignition near spillage. Wear suitable protective clothing as protection against splashing or contamination. Avoid inhalation of vapors and contact with eyes

Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material.

Methods and material for containment and cleaning up

Methods for cleaning up Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Wash thoroughly after dealing with a spillage. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely.

Reference to other sections

Reference to other sections For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame. Avoid contact with eyes.

Conditions for safe storage, including any incompatibilities

Deb Instant Foam

Storage precautions Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame.

Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

8. Exposure controls/Personal protection

Control parameters

Occupational exposure limits

ETHANOL

Long-term exposure limit (8-hour TWA): ACGIH
Short-term exposure limit (15-minute): ACGIH 1000 ppm

PROPAN-1-OL

Long-term exposure limit (8-hour TWA): ACGIH ppm
Short-term exposure limit (15-minute): ACGIH
ACGIH = American Conference of Governmental Industrial Hygienists.

Exposure controls

Protective equipment



Appropriate engineering controls Not relevant.

Eye/face protection Not required normally but wear eye protection if you are conducting an operation where there is a risk of this product getting in the eyes.

Hand protection Not applicable.

Hygiene measures DO NOT SMOKE IN WORK AREA! Promptly remove any clothing that becomes contaminated.

Respiratory protection Not relevant.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Colourless.
Odour	Alcoholic.
pH	pH (concentrated solution): 5.0-7.5
Melting point	Not Applicable°C
Initial boiling point and range	78°C @
Flash point	23°C Tag closed cup.
Evaporation rate	1.4 (water =1)
Vapour pressure	Not Available @ °C
Vapour density	Not available
Relative density	0.845-0.854 g/mL @ °C

Deb Instant Foam

Other information	None.
Volatility	70-80
Volatile organic compound	This product contains a maximum VOC content of 70-80% .

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	No particular stability concerns.
Possibility of hazardous reactions	Not known.
Conditions to avoid	Avoid heat, flames and other sources of ignition.
Materials to avoid	Oxidising Agents Aluminium
Hazardous decomposition products	Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. Oxides of carbon.

11. Toxicological information

Information on toxicological effects

Toxicological effects	No data recorded.
General information	No specific health hazards known.
Inhalation	No specific health hazards known.
Ingestion	May cause nausea, headache, dizziness and intoxication.
Skin contact	Skin irritation should not occur when used as recommended.
Eye contact	Causes eye irritation

12. Ecological information

Ecotoxicity	The product is not expected to be toxic to aquatic organisms.
--------------------	---

Persistence and degradability

Persistence and degradability	The product is biodegradable.
--------------------------------------	-------------------------------

Bioaccumulative potential

Bioaccumulative potential	The product is not bioaccumulating.
----------------------------------	-------------------------------------

Mobility in soil

Mobility	The product is soluble in water.
-----------------	----------------------------------

Other adverse effects

Other adverse effects	None known.
------------------------------	-------------

13. Disposal considerations

Waste treatment methods

Deb Instant Foam

General information	When handling waste, the safety precautions applying to handling of the product should be considered. Wear suitable protective clothing as protection against splashing or contamination.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

14. Transport information

UN number

UN No. (TDG)	1987
UN No. (IMDG)	1987
UN No. (ICAO)	1987
UN No. (DOT)	1987

UN proper shipping name

Proper shipping name (TDG)	ALCOHOLS, N.O.S.
Proper shipping name (IMDG)	ALCOHOLS, N.O.S.
Proper shipping name (ICAO)	ALCOHOLS, N.O.S.
Proper shipping name (DOT)	ALCOHOLS, N.O.S.

Transport hazard class(es)

TDG class	3
TDG label(s)	3
IMDG class	3
ICAO class/division	3

Transport labels



Packing group

TDG packing group	II
IMDG packing group	II
ICAO packing group	II
DOT packing group	II

Special precautions for user

EmS	F-E, S-D
-----	----------

15. Regulatory information

Regulatory Status	This product is exempt from WHMIS labelling requirements as it is regulated under other federal legislation (ie. Health Canada). This product is manufactured and labeled in compliance with the Canadian Food and Drug Regulations. Product is classified in accordance with the hazard criteria of Hazardous Products Regulations.
--------------------------	--

Deb Instant Foam

16. Other information

Revision comments	Revision of information
Revision date	2021-02-03
Revision	11
Supersedes date	2021-02-03
SDS number	11222
Hazard statements in full	H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Signature	SC Johnson Professional

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.